

**CTPharma**  
280 Dividend Dr.  
Rocky Hill, CT 06067

Date Received: 12/13/2022  
Report Date: 01/05/2023  
NELabs Report ID: 2289065-02

**Product ID: STC042022-PR**

Microbiology	Results (CFU)	Limits (CFU)	Methods
Total Aerobic Microbial Count	100	100,000	AOAC 990.12
Total Yeast & Mold Count	1,000	10,000	AOAC 2014.05
<i>Aspergillus (flavus, fumigatus, terreus, niger)</i>	Not Detected	Not Detected	qPCR
Enteropathogenic <i>E. coli</i>	Not Detected	Not Detected	AOAC 2017.01
<i>Listeria Monocytogenes</i>	Not Detected	Not Detected	AOAC 2016.08
<i>Salmonella</i> species	Not Detected	Not Detected	qPCR
Shiga Toxin Producing <i>E. coli</i>	Not Detected	Not Detected	qPCR
Pass/Fail: <b>PASS</b>			

Cannabinoids by HPLC	Results (% w/w <sup>a</sup> )
CBDV	----
CBDA	0.14
CBGA	0.72
CBG	0.20
CBD	----
THCV	----
CBN	----
THC	1.18
CBL	----
CBC	----
THCA	32.66
<b>Total Cannabinoids: 34.90 %</b>	

<sup>a</sup>: percentages reported by dry weight

Moisture	Results
Water Content (% w/w)	15.10
Water Activity (Aw)	0.50

Terpenes by GC-MS	Results (% w/w <sup>a</sup> )
α-Pinene	0.04
Camphene	0.01
β-Myrcene	0.22
β-Pinene	0.08
3-Carene	----
α-Terpinene	----
Limonene	0.34
Ocimene	----
p-Cymene	----
γ-Terpinene	----
Terpinolene	----
Linalool	0.05
(-)-Isopulegol	----
Geraniol	----
β-Caryophyllene	0.33
α-Humulene	0.11
cis-Nerolidol	0.04
trans-Nerolidol	0.07
Guaiol	0.01
α-Bisabolol	0.03
<b>Total Terpenes: 1.33 %</b>	

<sup>a</sup>: percentages reported by dry weight



**CTPharma**  
280 Dividend Dr.  
Rocky Hill, CT 06067

Date Received: 12/13/2022  
Report Date: 01/05/2023  
NELabs Report ID: 2289065-02

**Product ID: STC042022-PR**

<b>Pesticides</b> by LC-MS/MS	<b>Results</b>	<b>Limits</b>
Per Sample $\geq$ 0.5g	Not Detected	Below Action Levels
Pass/Fail: <b>PASS</b>		

<b>Heavy Metals</b> by ICP-MS	<b>Results</b>	<b>Limits</b>
As, Cd, Pb, Hg	Below Detection	Below Action Levels
Pass/Fail: <b>PASS</b>		

<b>Mycotoxins</b> by LC-MS/MS	<b>Results (µg/kg)</b>	<b>Limits (µg/kg)</b>
Aflatoxins (B1, B2, G1, G2)	<20 each	<20 each
Ochratoxin-A	<20	<20
Pass/Fail: <b>PASS</b>		

NOTE: Results are for sample(s) submitted to Northeast Laboratories Inc. on 12/13/2022.  
CoA issued 12/22/2022; re-issued 01/05/2023 to update potency results at the request of the client.

Date:	Reviewed by: <i>Michelle Szylobryt</i>	Released by: <i>Zachary Cannone</i>
01/05/2023	Michelle Szylobryt, QA / QC	Zachary Cannone, Laboratory Director

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

